ELSEVIER

Wear 184 (1995) 257

WEAR

Author Index of Volume 184

Abo-El-Ezz, A.S., 45
Aggag, G.A., 45
Akkurt, S., 107
Angell, B., 73

Bakker, P.M.V., 33
Ballout, Y.A., 17
Basak, A., 241
Bhushan, B., 193
Bieler, T.R., 245
Biswas, S.K., 23
Blau, P.J., 213
Borruto, A., 119
Buijs, M., 61
Burggraaf, A.J., 33

Chang, L., 155
Chevallier, P., 87
Choi, M.-S., 67
Coleman, S.L., 73

Drozdov, Y.N., 179
Dutta, G.L., 241

El-Gamal, H.A., 111
El-Sayed, A.A., 45
El-Sherbiny, M.G., 45

Fang, X.D., 145
Furuichi, H., 99

Ghosh, R., 145
Goryacheva, I., 125
Green, L., 83
Gupta, R., 169

Hahn, Jr., F.W., 193
Hattori, S., 231
He, Y.J., 33
Hills, D.A., 93
Horng, J.H., 203
Hyatt, S.O., 245

Iwai, Y., 231

Jawahir, I.S., 145

Kailas, S.V., 23
Kato, K., 179
Khurshudov, A.G., 179
Kim, J.-D., 67

Laufer, E.E., 11
Lee, E.H., 213
Lee, S.W., 223

Li, K.Y., 203
Li, P.X., 145
Lin, J.F., 203
Liu, J., 187
Luo, Q., 1

Masounave, J., 11
Mathis, J.A., 17
McEnaney, B., 73
Morin, E., 11
Munisamy, R.L., 93

Nakamura, S., 99
Nowell, D., 93

Okada, T., 231
Oraby, S.E., 133

Pasmans, J.M.M., 61
Peng, H.X., 187
Polijaniuk, A., 55

Rao, G.R., 213
Roy, D.K., 241

Sadeghi, F., 125
Schipper, D.J., 33
Scott, V.D., 73
Sehadri, V., 169
Singh, S.N., 169
So, H., 161
Song, Y., 1
Spuzic, S., 83
Stokes, K.R., 73
Strafford, K.N., 83
Subramanian, C., 83

Talia, J.E., 17
Tanimura, N., 231
Taraschi, I., 119

Vannes, A.B., 87
Verweij, H., 33

Wang, B.Q., 223
Wang, D.Z., 187
Winnubst, A.J.A., 33

Xie, J., 1
Xuan, J.S., 99

Yamazaki, K., 99
Yao, C.K., 187

Elsevier Science S.A.

ELSEVIER

Wear 184 (1995) 259–262

WEAR

Subject Index of Volume 184

Abrasion
strain rate response and its effect in plane strain abrasion of metals by a wedge, 23
influence of stress state on abrasive wear of steels, 83
Abrasive wear
effects of microstructures on the abrasive wear behaviour of spheroidal cast iron, 1
Acetal–metal gear pairs
on the effect of surface roughness on wear of acetal–metal gear pairs, 107
Adhesion
friction and wear behaviour of ceramic-hardened steel couples under reciprocating sliding motion, 33
Adhesive wear
adhesive wear characteristics of cast nitrogenated stainless steel, 241
Amorphous iron
structure and state of repeatedly rubbed pure iron, 99
Approach
new approach to the problem of bearing for rough surfaces under quasi-static load, 55

Backwall wear
an investigation of the effects of chip flow on tool-wear in machining with complex grooved tools, 145
Bearing
new approach to the problem of bearing for rough surfaces under quasi-static load, 55
Bearing applications
friction and wear properties of polymeric composite materials for bearing applications, 45
Bubble collapse
relation between impact load and the damage produced by cavitation bubble collapse, 231
Bubbling fluidized bed combustor
effect of particle–tube collision frequency on material wastage of in-bed tubes in the bubbling fluidized bed combustor, 223

Cast iron
effects of microstructures on the abrasive wear behaviour of spheroidal cast iron, 1
Cavitation
comparison of tunnel and jet methods for cavitation erosion testing, 73
relation between impact load and the damage produced by cavitation bubble collapse, 231
Cavitation tunnel test
comparison of tunnel and jet methods for cavitation erosion testing, 73
Ceramics
friction and wear behaviour of ceramic-hardened steel couples under reciprocating sliding motion, 33
transitional phenomena in the lubricated heavily loaded sliding contact of ceramics and steel, 179
Chip-flow
an investigation of the effects of chip flow on tool-wear in machining with complex grooved tools, 145
Collision frequency
effect of particle–tube collision frequency on material wastage of in-bed tubes in the bubbling fluidized bed combustor, 223
Composites
effect of drill wear on cutting forces in the drilling of metal–matrix composites, 11
Contact fatigue crack formation
structure and state of repeatedly rubbed pure iron, 99
Contact problems
the solution of the contact between a tilted circular rigid punch and an elastic half-space, 93
Cumulative distribution function
monitoring of turning operation via force signals. Part 1: Recognition of different tool failure forms by spectral analysis, 133
Cutting force signals
monitoring of turning operation via force signals. Part 1: Recognition of different tool failure forms by spectral analysis, 133
Cutting tool failure
monitoring of turning operation via force signals. Part 1: Recognition of different tool failure forms by spectral analysis, 133

Deposits
stains on magnetic tape heads, 193
Deterministic modeling
deterministic modeling and numerical simulation of lubrication between rough surfaces—a review of recent developments, 155
Drilling
effect of drill wear on cutting forces in the drilling of metal–matrix composites, 11
Dry sliding friction
wear behaviour and microstructural changes of SiCw–Al composite under unlubricated sliding friction, 187
Dry wear
wear dependence on some factors characterizing the surface state: the hardness, the roughness and the surface degreasing, 119
Ductile metal erosion
effect of particle tangential velocity on erosion ripple formation, 17

Erosion
comparison of tunnel and jet methods for cavitation erosion testing, 73

Elsevier Science S.A.

effects on a sheet surface of an erosive particle jet upon impact, 87
effect of particle–tube collision frequency on material wastage of in-bed tubes in the bubbling fluidized bed combustor, 223
relation between impact load and the damage produced by cavitation bubble collapse, 231
Erosion transition
erosion of glass by alumina particles: transitions and exponents, 61
Erosion wear
prediction of uneven wear in a slurry pipeline on the basis of measurements in a pot tester, 169

Finishing
simulation of an internal finishing process of rectangular tube using a magnetic field, 67
Friction
friction and wear behaviour of ceramic-hardened steel couples under reciprocating sliding motion, 33
Frictional texture
the effect of a superimposed strain field on frictional texture measurements, 245
the effect of a superimposed strain field on frictional texture measurements, 245
Friction and wear
friction and wear properties of polymeric composite materials for bearing applications, 45
Friction-induced sub-surface texture
the effect of a superimposed strain field on frictional texture measurements, 245
Friction microprobe
friction microprobe studies of ion implanted polymer surfaces, 213
Friction polymers
stains on magnetic tape heads, 193

Grooved tools
an investigation of the effects of chip flow on tool-wear in machining with complex grooved tools, 145

Hydrodynamic lubrication
analysis of the steady state performance of a wedge-shaped hydrodynamic journal bearing, 111

Impact load
relation between impact load and the damage produced by cavitation bubble collapse, 231
Incomplete contact
the solution of the contact between a tilted circular rigid punch and an elastic half-space, 93
Indentation fracture mechanics
erosion of glass by alumina particles: transitions and exponents, 61
Ion implantation
friction microprobe studies of ion implanted polymer surfaces, 213

Jet cavitiation test
comparison of tunnel and jet methods for cavitation erosion testing, 73
Journal bearings
analysis of the steady state performance of a wedge-shaped hydrodynamic journal bearing, 111

Load
new approach to the problem of bearing for rough surfaces under quasi-static load, 55
Lubrication theory
analysis of the steady state performance of a wedge-shaped hydrodynamic journal bearing, 111

Magnetic field
simulation of an internal finishing process of rectangular tube using a magnetic field, 67
Magnetic tapes
stains on magnetic tape heads, 193
Magnetic tapes tribology
stains on magnetic tape heads, 193
Material wastage
effect of particle–tube collision frequency on material wastage of in-bed tubes in the bubbling fluidized bed combustor, 223
Mathematical model
simulation of an internal finishing process of rectangular tube using a magnetic field, 67
Maxwell model
contact characteristics of a rolling/sliding cylinder and a viscoelastic layer bonded to an elastic substrate, 125
Measurement
new approach to the problem of bearing for rough surfaces under quasi-static load, 55
Metrological parameters
effects on a sheet surface of an erosive particle jet upon impact, 87
Micro-EHL
deterministic modeling and numerical simulation of lubrication between rough surfaces—a review of recent developments, 155
Microfriction
friction microprobe studies of ion implanted polymer surfaces, 213
Microstructure
effects of microstructures on the abrasive wear behaviour of spheroidal cast iron, 1
Mixed-film lubrication
deterministic modeling and numerical simulation of lubrication between rough surfaces—a review of recent developments, 155
MMCp
effect of drill wear on cutting forces in the drilling of metal–matrix composites, 11

Nitrogenation
adhesive wear characteristics of cast nitrogenated stainless steel, 241
Numerical solution of contacts
the solution of the contact between a tilted circular rigid punch and an elastic half-space, 93

Oxidational wear
the mechanism of oxidational wear, 161

Particle impact
effect of particle–tube collision frequency on material wastage of in-bed tubes in the bubbling fluidized bed combustor, 223
Particle jet
effects on a sheet surface of an erosive particle jet upon impact, 87

PEEK
friction microprobe studies of ion implanted polymer surfaces, 213
Pit
relation between impact load and the damage produced by cavitation bubble collapse, 231
Polycrystalline copper-copper pair
the effect of a superimposed strain field on frictional texture measurements, 245
Polycrystalline nickel-nickel pair
the effect of a superimposed strain field on frictional texture measurements, 245
Polymeric composites
friction and wear properties of polymeric composite materials for bearing applications, 45
Polymers
friction microprobe studies of ion implanted polymer surfaces, 213
Polystyrene
friction microprobe studies of ion implanted polymer surfaces, 213
Pot tester
prediction of uneven wear in a slurry pipeline on the basis of measurements in a pot tester, 169
Pressure detector
relation between impact load and the damage produced by cavitation bubble collapse, 231

Real contact area
new approach to the problem of bearing for rough surfaces under quasi-static load, 55
Recording heads
stains on magnetic tape heads, 193
Repeated friction
structure and state of repeatedly rubbed pure iron, 99
Ripple formation
effect of particle tangential velocity on erosion ripple formation, 17
Rolling contact
contact characteristics of a rolling/sliding cylinder and a viscoelastic layer bonded to an elastic substrate, 125
Roughness
new approach to the problem of bearing for rough surfaces under quasi-static load, 55
effect of surface roughness on steel roller scuffing, 203
Rubbing
the mechanism of oxidational wear, 161

Scratch testing
influence of stress state on abrasive wear of steels, 83
Scuffing
effect of surface roughness on steel roller scuffing, 203
SiCw–Al composites
wear behaviour and microstructural changes of SiCw–Al composite under unlubricated sliding friction, 187
Sliding
friction and wear behaviour of ceramic-hardened steel couples under reciprocating sliding motion, 33
Sliding contact
contact characteristics of a rolling/sliding cylinder and a viscoelastic layer bonded to an elastic substrate, 125
transitional phenomena in the lubricated heavily loaded sliding contact of ceramics and steel, 179
Sliding element bearings
analysis of the steady state performance of a wedge-shaped hydrodynamic journal bearing, 111
Slip
contact characteristics of a rolling/sliding cylinder and a viscoelastic layer bonded to an elastic substrate, 125
Slurry pipeline
prediction of uneven wear in a slurry pipeline on the basis of measurements in a pot tester, 169
Solid particle erosion
effect of particle tangential velocity on erosion ripple formation, 17
erosion of glass by alumina particles: transitions and exponents, 61
Spalling
the mechanism of oxidational wear, 161
Spectral analysis
monitoring of turning operation via force signals. Part 1: Recognition of different tool failure forms by spectral analysis, 133
Stains
stains on magnetic tape heads, 193
Steel
influence of stress state on abrasive wear of steels, 83
transitional phenomena in the lubricated heavily loaded sliding contact of ceramics and steel, 179
effect of surface roughness on steel roller scuffing, 203
adhesive wear characteristics of cast nitrogenated stainless steel, 241
Stick–slip
friction microprobe studies of ion implanted polymer surfaces, 213
Strain
strain rate response and its effect in plane strain abrasion of metals by a wedge, 23
Stress
influence of stress state on abrasive wear of steels, 83
Structure of iron
structure and state of repeatedly rubbed pure iron, 99
Sub-grain rotation
the effect of a superimposed strain field on frictional texture measurements, 245
Subsurface flow
strain rate response and its effect in plane strain abrasion of metals by a wedge, 23
Subsurface plastic deformation
the effect of a superimposed strain field on frictional texture measurements, 245
Sub-surface residual stresses
the effect of a superimposed strain field on frictional texture measurements, 245
Surface degreasing
wear dependence on some factors characterizing the surface state: the hardness, the roughness and the surface degreasing, 119
Surface hardness
wear dependence on some factors characterizing the surface state: the hardness, the roughness and the surface degreasing, 119
Surface morphology
strain rate response and its effect in plane strain abrasion of metals by a wedge, 23
Surface roughness
on the effect of surface roughness on wear of acetal–metal gear pairs, 107
wear dependence on some factors characterizing the surface state: the hardness, the roughness and the surface degreasing, 119

deterministic modeling and numerical simulation of lubrication between rough surfaces—a review of recent developments, 155
Surface state
wear dependence on some factors characterizing the surface state: the hardness, the roughness and the surface degreasing, 119

Thermal
deterministic modeling and numerical simulation of lubrication between rough surfaces—a review of recent developments, 155
Tilted punch
the solution of the contact between a tilted circular rigid punch and an elastic half-space, 93
Transformation of iron
structure and state of repeatedly rubbed pure iron, 99
Transient
deterministic modeling and numerical simulation of lubrication between rough surfaces—a review of recent developments, 155
Tribological properties
friction and wear properties of polymeric composite materials for bearing applications, 45
Tribology
analysis of the steady state performance of a wedge-shaped hydrodynamic journal bearing, 111

Uneven wear
prediction of uneven wear in a slurry pipeline on the basis of measurements in a pot tester, 169

Venturi
relation between impact load and the damage produced by cavitation bubble collapse, 231
Vibratory
relation between impact load and the damage produced by cavitation bubble collapse, 231
Viscoelastic layer
contact characteristics of a rolling/sliding cylinder and a viscoelastic layer bonded to an elastic substrate, 125

Wear
effect of drill wear on cutting forces in the drilling of metal–matrix composites, 11
friction and wear behaviour of ceramic-hardened steel couples under reciprocating sliding motion, 33
Wear craters
effects on a sheet surface of an erosive particle jet upon impact, 87
Wear mechanisms
wear behaviour and microstructural changes of SiCw–Al composite under unlubricated sliding friction, 187
Wear standards
wear dependence on some factors characterizing the surface state: the hardness, the roughness and the surface degreasing, 119